

Sandra K. Weller, PhD

BIBLIOGRAPHY

Peer-Reviewed Publications:

1. Lou, D, Kim E, Meyerson, N, Pancholi N, Mohni, K, Enard, D, Petrov, D., Weller, S, Weitzman, M, and Sawyer, S. An Intrinsically Disordered Region of Nbs1 Constitutes a Species-Specific Barrier to Herpes Simplex Virus 1 in Primates. *Cell Host & Microbe.* 2016; 20:178-88.
2. Darwish AS, Grady LM, Bai P, Weller SK. ICP8 Filament Formation is Essential for Replication Compartment Formation During Herpes Simplex Virus Infection. *Journal of virology.* 2015; PubMed [journal] PMID: 26676794
3. Pozhidaeva AK, Mohni KN, Dhe-Paganon S, Arrowsmith CH, Weller SK, et al. Structural Characterization of Interaction between Human Ubiquitin-specific Protease 7 and Immediate-Early Protein ICP0 of Herpes Simplex Virus-1. *The Journal of biological chemistry.* 2015; 290(38):22907-18. PubMed [journal] PMID: 26224631, PMCID: PMC4645603
3. Smith S, Weller SK. HSV-I and the cellular DNA damage response. *Future virology.* 2015; 10(4):383-397. NIHMSID: NIHMS683216 PubMed [journal] PMID: 26213561, PMCID: PMC4508672
4. Mossman KL, Weller SK. HSV cheats the executioner. *Cell Host & Microbe.* 2015; 17(2):148-51. PubMed [journal] PMID: 25674981
5. Albright BS, Kosinski A, Szczepaniak R, Cook EA, Stow ND, et al. The putative herpes simplex virus 1 chaperone protein UL32 modulates disulfide bond formation during infection. *Journal of virology.* 2015; 89(1):443-53. PubMed [journal] PMID: 25320327, PMCID: PMC4301124
6. Smith S, Reuven N, Mohni KN, Schumacher AJ, Weller SK. Structure of the herpes simplex virus 1 genome: manipulation of nicks and gaps can abrogate infectivity and alter the cellular DNA damage response. *Journal of virology.* 2014; 88(17):10146-56. PubMed [journal] PMID: 24965466, PMCID: PMC4136335
7. Weller SK, Sawitzke JA. Recombination promoted by DNA viruses: phage λ to herpes simplex virus. *Annual review of microbiology.* 2014; 68:237-58. NIHMSID: NIHMS654505 PubMed [journal] PMID: 25002096, PMCID: PMC4303060
8. Grady LM, Bai P, Weller SK. HSV-1 protein expression using recombinant baculoviruses. *Methods in molecular biology (Clifton, N.J.).* 2014; 1144:293-304. NIHMSID: NIHMS660565 PubMed [journal] PMID: 24671692, PMCID: PMC4427568

9. Weller SK, Kuchta RD. The DNA helicase-primase complex as a target for herpes viral infection. *Expert opinion on therapeutic targets*. 2013; 17(10):1119-32. NIHMSID: NIHMS596246 PubMed [journal] PMID: 23930666, PMCID: PMC4098783
10. Mohni KN, Smith S, Dee AR, Schumacher AJ, Weller SK. Herpes simplex virus type 1 single strand DNA binding protein and helicase/primase complex disable cellular ATR signaling. *PLoS pathogens*. 2013; 9(10):e1003652. PubMed [journal] PMID: 24098119, PMCID: PMC3789782
11. Mohni KN, Dee AR, Smith S, Schumacher AJ, Weller SK. Efficient herpes simplex virus 1 replication requires cellular ATR pathway proteins. *Journal of virology*. 2013; 87(1):531-42. PubMed [journal] PMID: 23097436, PMCID: PMC3536419
12. Weller SK, Coen DM. Herpes simplex viruses: mechanisms of DNA replication. *Cold Spring Harbor perspectives in biology*. 2012; 4(9):a013011. NIHMSID: NIHMS414985 PubMed [journal] PMID: 22952399, PMCID: PMC3428768
13. Schumacher AJ, Mohni KN, Kan Y, Hendrickson EA, Stark JM, et al. The HSV-1 exonuclease, UL12, stimulates recombination by a single strand annealing mechanism. *PLoS pathogens*. 2012; 8(8):e1002862. PubMed [journal] PMID: 22912580, PMCID: PMC3415443
14. Mohni KN, Mastrocola AS, Bai P, Weller SK, Heinen CD. DNA mismatch repair proteins are required for efficient herpes simplex virus 1 replication. *Journal of virology*. 2011; 85(23):12241-53. PubMed [journal] PMID: 21957315, PMCID: PMC3209375
15. Albright BS, Nellierry J, Szczepaniak R, Weller SK. Disulfide bond formation in the herpes simplex virus 1 UL6 protein is required for portal ring formation and genome encapsidation. *Journal of virology*. 2011; 85(17):8616-24. PubMed [journal] PMID: 21593161, PMCID: PMC3165836
16. Szczepaniak R, Nellierry J, Jadwin JA, Makhov AM, Kosinski A, et al. Disulfide bond formation contributes to herpes simplex virus capsid stability and retention of pentons. *Journal of virology*. 2011; 85(17):8625-34. PubMed [journal] PMID: 21697480, PMCID: PMC3165804
17. Chen Y, Bai P, Mackay S, Korza G, Carson JH, et al. Herpes simplex virus type 1 helicase-primase: DNA binding and consequent protein oligomerization and primase activation. *Journal of virology*. 2011; 85(2):968-78. PubMed [journal] PMID: 21068246, PMCID: PMC3019990
18. Balasubramanian N, Bai P, Buchek G, Korza G, Weller SK. Physical interaction between the herpes simplex virus type 1 exonuclease, UL12, and the DNA double-strand break-sensing MRN complex. *Journal of virology*. 2010; 84(24):12504-14. PubMed [journal] PMID: 20943970, PMCID: PMC3004347

19. Mohni KN, Livingston CM, Cortez D, Weller SK. ATR and ATRIP are recruited to herpes simplex virus type 1 replication compartments even though ATR signaling is disabled. *Journal of virology*. 2010; 84(23):12152-64. PubMed [journal] PMID: 20861269, PMCID: PMC2976399
20. Weller SK. Herpes simplex virus reorganizes the cellular DNA repair and protein quality control machinery. *PLoS pathogens*. 2010; 6(11):e1001105. PubMed [journal] PMID: 21124825, PMCID: PMC2991270
21. Nicolas A, Alazard-Dany N, Biollay C, Arata L, Jolinon N, et al. Identification of replication-associated factors in herpes simplex virus type 1-induced adeno-associated virus type 2 replication compartments. *Journal of virology*. 2010; 84(17):8871-87. PubMed [journal] PMID: 20573815, PMCID: PMC2919046
22. Bastian TW, Livingston CM, Weller SK, Rice SA. Herpes simplex virus type 1 immediate-early protein ICP22 is required for VICE domain formation during productive viral infection. *Journal of virology*. 2010; 84(5):2384-94. PubMed [journal] PMID: 20032172, PMCID: PMC2820935
23. Livingston CM, Ifrim MF, Cowan AE, Weller SK. Virus-Induced Chaperone-Enriched (VICE) domains function as nuclear protein quality control centers during HSV-1 infection. *PLoS pathogens*. 2009; 5(10):e1000619. PubMed [journal] PMID: 19816571, PMCID: PMC2752995
24. Livingston CM, DeLuca NA, Wilkinson DE, Weller SK. Oligomerization of ICP4 and rearrangement of heat shock proteins may be important for herpes simplex virus type 1 prereplicative site formation. *Journal of virology*. 2008; 82(13):6324-36. PubMed [journal] PMID: 18434395, PMCID: PMC2447070
25. Chattopadhyay S, Weller SK. Direct interaction between the N- and C-terminal portions of the herpes simplex virus type 1 origin binding protein UL9 implies the formation of a head-to-tail dimer. *Journal of virology*. 2007; 81(24):13659-67. PubMed [journal] PMID: 17942532, PMCID: PMC2168873
26. Iwahori S, Shirata N, Kawaguchi Y, Weller SK, Sato Y, et al. Enhanced phosphorylation of transcription factor sp1 in response to herpes simplex virus type 1 infection is dependent on the ataxia telangiectasia-mutated protein. *Journal of virology*. 2007; 81(18):9653-64. PubMed [journal] PMID: 17609267, PMCID: PMC2045397
27. Nelliassy JK, Szczepaniak R, Lamberti C, Weller SK. A putative leucine zipper within the herpes simplex virus type 1 UL6 protein is required for portal ring formation. *Journal of virology*. 2007; 81(17):8868-77. PubMed [journal] PMID: 17581990, PMCID: PMC1951442
28. Chen Y, Livingston CM, Carrington-Lawrence SD, Bai P, Weller SK. A mutation in the human herpes simplex virus type 1 UL52 zinc finger motif results in defective primase activity but can recruit viral polymerase and support viral replication efficiently. *Journal of virology*. 2007; 81(16):8742-51. PubMed [journal] PMID: 17553899, PMCID: PMC1951384

29. Saffran HA, Pare JM, Corcoran JA, Weller SK, Smiley JR. Herpes simplex virus eliminates host mitochondrial DNA. *EMBO reports*. 2007; 8(2):188-93. PubMed [journal] PMID: 17186027, PMCID: PMC1796774
30. Chattopadhyay S, Chen Y, Weller SK. The two helicases of herpes simplex virus type 1 (HSV-1). *Frontiers in bioscience : a journal and virtual library*. 2006; 11:2213-23. PubMed [journal] PMID: 16720308
31. Wilkinson DE, Weller SK. Herpes simplex virus type I disrupts the ATR-dependent DNA-damage response during lytic infection. *Journal of cell science*. 2006; 119(Pt 13):2695-703. NIHMSID: NIHMS209284 PubMed [journal] PMID: 16757521, PMCID: PMC4427570
32. Chattopadhyay S, Weller SK. DNA binding activity of the herpes simplex virus type 1 origin binding protein, UL9, can be modulated by sequences in the N terminus: correlation between transdominance and DNA binding. *Journal of virology*. 2006; 80(9):4491-500. PubMed [journal] PMID: 16611909, PMCID: PMC1471996
33. Pierce AT, DeSalvo J, Foster TP, Kosinski A, Weller SK, et al. Beta interferon and gamma interferon synergize to block viral DNA and virion synthesis in herpes simplex virus-infected cells. *The Journal of general virology*. 2005; 86(Pt 9):2421-32. NIHMSID: NIHMS4887 PubMed [journal] PMID: 16099899, PMCID: PMC1366490
34. Burch AD, Weller SK. Herpes simplex virus type 1 DNA polymerase requires the mammalian chaperone hsp90 for proper localization to the nucleus. *Journal of virology*. 2005; 79(16):10740-9. PubMed [journal] PMID: 16051866, PMCID: PMC1182622
35. Reuven NB, Weller SK. Herpes simplex virus type 1 single-strand DNA binding protein ICP8 enhances the nuclease activity of the UL12 alkaline nuclease by increasing its processivity. *Journal of virology*. 2005; 79(14):9356-8. PubMed [journal] PMID: 15994834, PMCID: PMC1168754
36. Chen Y, Carrington-Lawrence SD, Bai P, Weller SK. Mutations in the putative zinc-binding motif of UL52 demonstrate a complex interdependence between the UL5 and UL52 subunits of the human herpes simplex virus type 1 helicase/primase complex. *Journal of virology*. 2005; 79(14):9088-96. PubMed [journal] PMID: 15994803, PMCID: PMC1168741
37. Wilkinson DE, Weller SK. Inhibition of the herpes simplex virus type 1 DNA polymerase induces hyperphosphorylation of replication protein A and its accumulation at S-phase-specific sites of DNA damage during infection. *Journal of virology*. 2005; 79(11):7162-71. PubMed [journal] PMID: 15890955, PMCID: PMC1112160
38. Reuven NB, Willcox S, Griffith JD, Weller SK. Catalysis of strand exchange by the HSV-1 UL12 and ICP8 proteins: potent ICP8 recombinase activity is revealed upon resection of dsDNA substrate by nuclease. *Journal of molecular biology*.

- 2004; 342(1):57-71. NIHMSID: NIHMS209311 PubMed [journal] PMID: 15313607, PMCID: PMC4412345
39. Burch AD, Weller SK. Nuclear sequestration of cellular chaperone and proteasomal machinery during herpes simplex virus type 1 infection. *Journal of virology*. 2004; 78(13):7175-85. PubMed [journal] PMID: 15194794, PMCID: PMC421678
 40. Wilkinson DE, Weller SK. Recruitment of cellular recombination and repair proteins to sites of herpes simplex virus type 1 DNA replication is dependent on the composition of viral proteins within prereplicative sites and correlates with the induction of the DNA damage response. *Journal of virology*. 2004; 78(9):4783-96. PubMed [journal] PMID: 15078960, PMCID: PMC387708
 41. Reuven NB, Antoku S, Weller SK. The UL12.5 gene product of herpes simplex virus type 1 exhibits nuclease and strand exchange activities but does not localize to the nucleus. *Journal of virology*. 2004; 78(9):4599-608. PubMed [journal] PMID: 15078942, PMCID: PMC387724
 42. Stracker TH, Cassell GD, Ward P, Loo YM, van Breukelen B, et al. The Rep protein of adeno-associated virus type 2 interacts with single-stranded DNA-binding proteins that enhance viral replication. *Journal of virology*. 2004; 78(1):441-53. PubMed [journal] PMID: 14671124, PMCID: PMC303412
 43. Przec AJ, Yu D, Weller SK. Point mutations in exon I of the herpes simplex virus putative terminase subunit, UL15, indicate that the most conserved residues are essential for cleavage and packaging. *Journal of virology*. 2003; 77(17):9613-21. PubMed [journal] PMID: 12915573, PMCID: PMC187393
 44. Marintcheva B, Weller SK. Existence of transdominant and potentiating mutants of UL9, the herpes simplex virus type 1 origin-binding protein, suggests that levels of UL9 protein may be regulated during infection. *Journal of virology*. 2003; 77(17):9639-51. PubMed [journal] PMID: 12915576, PMCID: PMC187383
 45. Wilkinson DE, Weller SK. The role of DNA recombination in herpes simplex virus DNA replication. *IUBMB life*. 2003; 55(8):451-8. PubMed [journal] PMID: 14609200
 46. Reuven NB, Staire AE, Myers RS, Weller SK. The herpes simplex virus type 1 alkaline nuclease and single-stranded DNA binding protein mediate strand exchange in vitro. *Journal of virology*. 2003; 77(13):7425-33. PubMed [journal] PMID: 12805441, PMCID: PMC164775
 47. Carrington-Lawrence SD, Weller SK. Recruitment of polymerase to herpes simplex virus type 1 replication foci in cells expressing mutant primase (UL52) proteins. *Journal of virology*. 2003; 77(7):4237-47. PubMed [journal] PMID: 12634381, PMCID: PMC150627
 48. Marintcheva B, Weller SK. Helicase motif Ia is involved in single-strand DNA-binding and helicase activities of the herpes simplex virus type 1 origin-binding protein,

- UL9. *Journal of virology*. 2003; 77(4):2477-88. PubMed [journal] PMID: 12551986, PMCID: PMC141079
49. Martinez R, Goldstein JN, Weller SK. The product of the UL12.5 gene of herpes simplex virus type 1 is not essential for lytic viral growth and is not specifically associated with capsids. *Virology*. 2002; 298(2):248-57. PubMed [journal] PMID: 12127788
50. Newcomb WW, Juhas RM, Thomsen DR, Homa FL, Burch AD, et al. The UL6 gene product forms the portal for entry of DNA into the herpes simplex virus capsid. *Journal of virology*. 2001; 75(22):10923-32. PubMed [journal] PMID: 11602732, PMCID: PMC114672
51. Biswas N, Weller SK. The UL5 and UL52 subunits of the herpes simplex virus type 1 helicase-primase subcomplex exhibit a complex interdependence for DNA binding. *The Journal of biological chemistry*. 2001; 276(20):17610-9. PubMed [journal] PMID: 11278618
52. Marintcheva B, Weller SK. Residues within the conserved helicase motifs of UL9, the origin-binding protein of herpes simplex virus-1, are essential for helicase activity but not for dimerization or origin binding activity. *The Journal of biological chemistry*. 2001; 276(9):6605-15. PubMed [journal] PMID: 11062243
53. Burkham J, Coen DM, Hwang CB, Weller SK. Interactions of herpes simplex virus type 1 with ND10 and recruitment of PML to replication compartments. *Journal of virology*. 2001; 75(5):2353-67. PubMed [journal] PMID: 11160739, PMCID: PMC114819
54. Sheaffer AK, Newcomb WW, Gao M, Yu D, Weller SK, et al. Herpes simplex virus DNA cleavage and packaging proteins associate with the procapsid prior to its maturation. *Journal of virology*. 2001; 75(2):687-98. PubMed [journal] PMID: 11134282, PMCID: PMC113965
55. Marintcheva B, Weller SK. A tale of two HSV-1 helicases: roles of phage and animal virus helicases in DNA replication and recombination. *Progress in nucleic acid research and molecular biology*. 2001; 70:77-118. PubMed [journal] PMID: 11642367
56. Sheaffer AK, Newcomb WW, Brown JC, Gao M, Weller SK, et al. Evidence for controlled incorporation of herpes simplex virus type 1 UL26 protease into capsids. *Journal of virology*. 2000; 74(15):6838-48. PubMed [journal] PMID: 10888623, PMCID: PMC112201
57. Newcomb WW, Trus BL, Cheng N, Steven AC, Sheaffer AK, et al. Isolation of herpes simplex virus procapsids from cells infected with a protease-deficient mutant virus. *Journal of virology*. 2000; 74(4):1663-73. PubMed [journal] PMID: 10644336, PMCID: PMC111641
58. Biswas N, Weller SK. A mutation in the C-terminal putative Zn²⁺ finger motif of UL52 severely affects the biochemical activities of the HSV-1 helicase-

- primase subcomplex. *The Journal of biological chemistry*. 1999; 274(12):8068-76. PubMed [journal] PMID: 10075707
59. Burkham J, Coen DM, Weller SK. ND10 protein PML is recruited to herpes simplex virus type 1 prereplicative sites and replication compartments in the presence of viral DNA polymerase. *Journal of virology*. 1998; 72(12):10100-7. PubMed [journal] PMID: 9811750, PMCID: PMC110544
60. Goldstein JN, Weller SK. In vitro processing of herpes simplex virus type 1 DNA replication intermediates by the viral alkaline nuclelease, UL12. *Journal of virology*. 1998; 72(11):8772-81. PubMed [journal] PMID: 9765421, PMCID: PMC110293
61. Gao M, Robertson BJ, McCann PJ, O'Boyle DR, Weller SK, et al. Functional conservations of the alkaline nuclelease of herpes simplex type 1 and human cytomegalovirus. *Virology*. 1998; 249(2):460-70. PubMed [journal] PMID: 9791036
62. Yu D, Weller SK. Herpes simplex virus type 1 cleavage and packaging proteins UL15 and UL28 are associated with B but not C capsids during packaging. *Journal of virology*. 1998; 72(9):7428-39. PubMed [journal] PMID: 9696839, PMCID: PMC109972
63. Goldstein JN, Weller SK. The exonuclease activity of HSV-1 UL12 is required for in vivo function. *Virology*. 1998; 244(2):442-57. PubMed [journal] PMID: 9601512
64. Yu D, Weller SK. Genetic analysis of the UL 15 gene locus for the putative terminase of herpes simplex virus type 1. *Virology*. 1998; 243(1):32-44. PubMed [journal] PMID: 9527913
65. Lamberti C, Weller SK. The herpes simplex virus type 1 cleavage/packaging protein, UL32, is involved in efficient localization of capsids to replication compartments. *Journal of virology*. 1998; 72(3):2463-73. PubMed [journal] PMID: 9499108, PMCID: PMC109547
66. Lukonis CJ, Burkham J, Weller SK. Herpes simplex virus type 1 prereplicative sites are a heterogeneous population: only a subset are likely to be precursors to replication compartments. *Journal of virology*. 1997; 71(6):4771-81. PubMed [journal] PMID: 9151871, PMCID: PMC191699
67. Bronstein JC, Weller SK, Weber PC. The product of the UL12.5 gene of herpes simplex virus type 1 is a capsid-associated nuclease. *Journal of virology*. 1997; 71(4):3039-47. PubMed [journal] PMID: 9060664, PMCID: PMC191433
68. Yu D, Sheaffer AK, Tenney DJ, Weller SK. Characterization of ICP6::lacZ insertion mutants of the UL15 gene of herpes simplex virus type 1 reveals the translation of two proteins. *Journal of virology*. 1997; 71(4):2656-65. PubMed [journal] PMID: 9060618, PMCID: PMC191387
69. Lukonis CJ, Weller SK. Formation of herpes simplex virus type 1 replication compartments by transfection: requirements and localization to

- nuclear domain 10. *Journal of virology*. 1997; 71(3):2390-9. PubMed [journal] PMID: 9032376, PMCID: PMC191349
70. Graves-Woodward KL, Gottlieb J, Challberg MD, Weller SK. Biochemical analyses of mutations in the HSV-1 helicase-primase that alter ATP hydrolysis, DNA unwinding, and coupling between hydrolysis and unwinding. *The Journal of biological chemistry*. 1997; 272(7):4623-30. PubMed [journal] PMID: 9020191
71. Lamberti C, Weller SK. The herpes simplex virus type 1 UL6 protein is essential for cleavage and packaging but not for genomic inversion. *Virology*. 1996; 226(2):403-7. PubMed [journal] PMID: 8955060
72. Malik AK, Weller SK. Use of transdominant mutants of the origin-binding protein (UL9) of herpes simplex virus type 1 to define functional domains. *Journal of virology*. 1996; 70(11):7859-66. PubMed [journal] PMID: 8892908, PMCID: PMC190857
73. Malik AK, Shao L, Shanley JD, Weller SK. Intracellular localization of the herpes simplex virus type-1 origin binding protein, UL9. *Virology*. 1996; 224(2):380-9. PubMed [journal] PMID: 8874499
74. Lukonis CJ, Weller SK. The herpes simplex virus type 1 transactivator ICP0 mediates aberrant intracellular localization of the viral helicase/primase complex subunits. *Virology*. 1996; 220(2):495-501. PubMed [journal] PMID: 8669135
75. Graves-Woodward KL, Weller SK. Replacement of gly815 in helicase motif V alters the single-stranded DNA-dependent ATPase activity of the herpes simplex virus type 1 helicase-primase. *The Journal of biological chemistry*. 1996; 271(23):13629-35. PubMed [journal] PMID: 8662872
76. Martinez R, Sarisky RT, Weber PC, Weller SK. Herpes simplex virus type 1 alkaline nuclease is required for efficient processing of viral DNA replication intermediates. *Journal of virology*. 1996; 70(4):2075-85. PubMed [journal] PMID: 8642627, PMCID: PMC190043
77. Lukonis CJ, Weller SK. Characterization of nuclear structures in cells infected with herpes simplex virus type 1 in the absence of viral DNA replication. *Journal of virology*. 1996; 70(3):1751-8. PubMed [journal] PMID: 8627697, PMCID: PMC190000
78. Martinez R, Shao L, Bronstein JC, Weber PC, Weller SK. The product of a 1.9-kb mRNA which overlaps the HSV-1 alkaline nuclease gene (UL12) cannot relieve the growth defects of a null mutant. *Virology*. 1996; 215(2):152-64. PubMed [journal] PMID: 8560762
79. Shao L, Rapp LM, Weller SK. Herpes simplex virus 1 alkaline nuclease is required for efficient egress of capsids from the nucleus. *Virology*. 1993; 196(1):146-62. PubMed [journal] PMID: 8395111

80. Martinez R, Shao L, Weller SK. The conserved helicase motifs of the herpes simplex virus type 1 origin-binding protein UL9 are important for function. *Journal of virology*. 1992; 66(11):6735-46. PubMed [journal] PMID: 1328687, PMCID: PMC240170
81. Malik AK, Martinez R, Muncy L, Carmichael EP, Weller SK. Genetic analysis of the herpes simplex virus type 1 UL9 gene: isolation of a LacZ insertion mutant and expression in eukaryotic cells. *Virology*. 1992; 190(2):702-15. PubMed [journal] PMID: 1325702
82. Zhu LA, Weller SK. The six conserved helicase motifs of the UL5 gene product, a component of the herpes simplex virus type 1 helicase-primase, are essential for its function. *Journal of virology*. 1992; 66(1):469-79. PubMed [journal] PMID: 1309257, PMCID: PMC238307
83. Zhu LA, Weller SK. The UL5 gene of herpes simplex virus type 1: isolation of a lacZ insertion mutant and association of the UL5 gene product with other members of the helicase-primase complex. *Journal of virology*. 1992; 66(1):458-68. PubMed [journal] PMID: 1309255, PMCID: PMC238306
84. Weller SK, Seghatoleslami MR, Shao L, Rowse D, Carmichael EP. The herpes simplex virus type 1 alkaline nuclease is not essential for viral DNA synthesis: isolation and characterization of a lacZ insertion mutant. *The Journal of general virology*. 1990; 71 (Pt 12):2941-52. PubMed [journal] PMID: 2177086
85. Heilbronn R, Weller SK, zur Hausen H. Herpes simplex virus type 1 mutants for the origin-binding protein induce DNA amplification in the absence of viral replication. *Virology*. 1990; 179(1):478-81. PubMed [journal] PMID: 2171219
86. Jacobson JG, Leib DA, Goldstein DJ, Bogard CL, Schaffer PA, et al. A herpes simplex virus ribonucleotide reductase deletion mutant is defective for productive acute and reactivateable latent infections of mice and for replication in mouse cells. *Virology*. 1989; 173(1):276-83. PubMed [journal] PMID: 2554573
87. Coen DM, Goldstein DJ, Weller SK. Herpes simplex virus ribonucleotide reductase mutants are hypersensitive to acyclovir. *Antimicrobial agents and chemotherapy*. 1989; 33(8):1395-9. PubMed [journal] PMID: 2552912, PMCID: PMC172665
88. Crute JJ, Tsurumi T, Zhu LA, Weller SK, Olivo PD, et al. Herpes simplex virus 1 helicase-primase: a complex of three herpes-encoded gene products. *Proceedings of the National Academy of Sciences of the United States of America*. 1989; 86(7):2186-9. PubMed [journal] PMID: 2538835, PMCID: PMC286876
89. Carmichael EP, Weller SK. Herpes simplex virus type 1 DNA synthesis requires the product of the UL8 gene: isolation and characterization of an ICP6::lacZ insertion mutation. *Journal of virology*. 1989; 63(2):591-9. PubMed [journal] PMID: 2536095, PMCID: PMC247728

90. Zhu L, Weller SK. UL5, a protein required for HSV DNA synthesis: genetic analysis, overexpression in Escherichia coli, and generation of polyclonal antibodies. *Virology*. 1988; 166(2):366-78. PubMed [journal] PMID: 2845650
91. Goldstein DJ, Weller SK. Factor(s) present in herpes simplex virus type 1-infected cells can compensate for the loss of the large subunit of the viral ribonucleotide reductase: characterization of an ICP6 deletion mutant. *Virology*. 1988; 166(1):41-51. PubMed [journal] PMID: 2842955
92. Goldstein DJ, Weller SK. An ICP6::lacZ insertional mutagen is used to demonstrate that the UL52 gene of herpes simplex virus type 1 is required for virus growth and DNA synthesis. *Journal of virology*. 1988; 62(8):2970-7. PubMed [journal] PMID: 2839713, PMCID: PMC253735
93. Carmichael EP, Kosovsky MJ, Weller SK. Isolation and characterization of herpes simplex virus type 1 host range mutants defective in viral DNA synthesis. *Journal of virology*. 1988; 62(1):91-9. PubMed [journal] PMID: 2824860, PMCID: PMC250505
94. Goldstein DJ, Weller SK. Herpes simplex virus type 1-induced ribonucleotide reductase activity is dispensable for virus growth and DNA synthesis: isolation and characterization of an ICP6 lacZ insertion mutant. *Journal of virology*. 1988; 62(1):196-205. PubMed [journal] PMID: 2824847, PMCID: PMC250519
95. Weller SK, Carmichael EP, Aschman DP, Goldstein DJ, Schaffer PA. Genetic and phenotypic characterization of mutants in four essential genes that map to the left half of HSV-1 UL DNA. *Virology*. 1987; 161(1):198-210. PubMed [journal] PMID: 2823462
96. Gibbs JS, Chiou HC, Hall JD, Mount DW, Retondo MJ, et al. Sequence and mapping analyses of the herpes simplex virus DNA polymerase gene predict a C-terminal substrate binding domain. *Proceedings of the National Academy of Sciences of the United States of America*. 1985; 82(23):7969-73. PubMed [journal] PMID: 2999787, PMCID: PMC390892
97. Chiou HC, Weller SK, Coen DM. Mutations in the herpes simplex virus major DNA-binding protein gene leading to altered sensitivity to DNA polymerase inhibitors. *Virology*. 1985; 145(2):213-26. PubMed [journal] PMID: 2992151
98. Weller SK, Spadaro A, Schaffer JE, Murray AW, Maxam AM, et al. Cloning, sequencing, and functional analysis of oriL, a herpes simplex virus type 1 origin of DNA synthesis. *Molecular and cellular biology*. 1985; 5(5):930-42. PubMed [journal] PMID: 2987682, PMCID: PMC366807
99. Coen DM, Aschman DP, Gelep PT, Retondo MJ, Weller SK, et al. Fine mapping and molecular cloning of mutations in the herpes simplex virus DNA polymerase locus. *Journal of virology*. 1984; 49(1):236-47. PubMed [journal] PMID: 6317891, PMCID: PMC255447

100. Weller SK, Aschman DP, Sacks WR, Coen DM, Schaffer PA. Genetic analysis of temperature-sensitive mutants of HSV-1: the combined use of complementation and physical mapping for cistron assignment. *Virology*. 1983; 130(2):290-305. PubMed [journal] PMID: 631663
101. Weller SK, Lee KJ, Sabourin DJ, Schaffer PA. Genetic analysis of temperature-sensitive mutants which define the gene for the major herpes simplex virus type 1 DNA-binding protein. *Journal of virology*. 1983; 45(1):354-66. PubMed [journal] PMID: 6296442, PMCID: PMC256417
102. Weller SK, Temin HM. Cell killing by avian leukosis viruses. *Journal of virology*. 1981; 39(3):713-21. PubMed [journal] PMID: 6270346, PMCID: PMC171305
103. Temin HM, Keshet E, Weller SK. Correlation of transient accumulation of linear unintegrated viral DNA and transient cell killing by avian leukosis and reticuloendotheliosis viruses. *Cold Spring Harbor symposia on quantitative biology*. 1980; 44 Pt 2,:773-8. PubMed [journal] PMID: 6253212
104. Weller SK, Joy AE, Temin HM. Correlation between cell killing and massive second-round superinfection by members of some subgroups of avian leukosis virus. *Journal of virology*. 1980; 33(1):494-506. PubMed [journal] PMID: 6245246, PMCID: PMC288564

Books:

Weller, S.K. (Book Editor) 2011. "Alpha Herpesviruses: Molecular Virology" Caister Academic Press, Norwich UK

Reviews and Chapters:

1. Ward, SA, Weller SK. 2011. HSV-1 DNA Replication. Chapter 6 in *Alphaherpesviruses: Molecular Virology*. Editor SK Weller, Caister Academic Press, Norwich UK
2. Livingston CM, Kyratsous C, Silverstein S, Weller SK. 2011. Molecular Chaperones and Alphaherpesvirus Infection Chapter 14 in *Alphaherpesviruses: Molecular Virology*. Editor SK Weller, Caister Academic Press, Norwich UK
3. Weitzman, M., and S. K. Weller. 2011. Interactions between HSV-1 and the DNA damage response. Chapter 15. *In Alphaherpeses: Molecular Virology*. Editor S. K. Weller, Caister Academic Press, Norwich UK
4. Weller, S.K. 2008. New HSV replication targets. Invited chapter in ASM book on Antiviral Therapy. Editor: Robert LaFemina. ASM Press
5. Weller, S.K. 2009. Herpesvirus DNA Replication. Invited chapter in *Viral Genome Replication*. Editors: Cameron, Gotte and Raney. Springer
6. Weller, S.K. 2006. HSV-1 DNA Replication. Invited Chapter for "Alpha Herpesviruses: Pathogenesis, Molecular Biology and Infection Control" Horizon Scientific Press. Editor. Rozanne Sandri-Goldin

7. Coen, D.M. and S.K. Weller. 2006. Herpesvirus DNA replication. Invited Chapter for CSH Book on Eukaryotic DNA Replication and Human Disease. Editor: Mel Depamphilis
8. Weller, S.K. 2004. DNA Virus replication. Chapter in 10th edition of Topley and Wilson's Microbiology and Microbial Infections: Virology Vols 1 and 2. Ed. Brian Mahy and Volker ter Meulen (Wuerzburg).
9. Baines, J.D. and S.K. Weller, 2004. Cleavage and Packaging of Herpes Simplex Virus 1 DNA, in Virus packaging, C. Catalano, Editor. 2004, Landes Bioscience. ISBN: 0-306-48227-4 Pub Date: 08, 2004.
<http://www.eurekah.com/abstract.php?chapid=1933&bookid=150&catid=64>
10. Wilkinson D.E. and S.K. Weller , 2003. The role of DNA recombination in herpes simplex virus DNA replication. IUBMB Life, 55: 451-8.
11. Marintcheva, B. and S.K. Weller 2001. A Tale of Two HSV-1 Helicases: Roles of phage and animal virus helicases in DNA replication and recombination. Prog Nucleic Acid Res Mol Biol.;70:77-118
12. Weller, S. K., 1995. Herpes simplex virus DNA replication and genome maturation, p. 189-213. *In* B. S. G.M. Cooper, and R. Temin (ed.), Implications of the DNA provirus: Howard Temin's Scientific Legacy. ASM Press, Washington, D.C.
13. Weller, S. K., 1990. Genetic Analysis of HSV Genes Required for Genome Replication, p. 105-135. *In* E. Wagner (ed.), Herpesvirus transcription and its regulation. CRC Press, Boca Raton, FL
14. Schaffer, P.A., Weller, S.K., Pancake B.A. and Coen, D.M. 1984. Genetics of Herpes Simplex Virus. Journal of Investigative Dermatology 83:42-47